

BOILER AUXILIARY EQUIPMENT

TYPE

Chimney, Deaerator, Blowdown Vessel, Economizer

CAPACITY

As per customer requirements

CONSTRUCTION MATERIALS

The construction materials always standard high-quality plate as per the design requirement. Ensured the mechanical property and chemical composition before construction with MTC. All Reliable Imported Instruments.

CODE AND STANDARD

UL 142/Bangladesh Petroleum Rules 2018, /NFPA-30/ASME BPVC/Others for design and construction and testing

WELDING

Ensure the WPS, PQR and WPQ as per ASME section IX for welding Quality. Post weld heat treatment done as per Code requirement.

TESTING

Ensuring proper testing during construction as per ASME Boiler and Pressure Vessel Code section VIII division 1 code. Proper leakage test after construction with settlement and performance test.

INSULATION

High quality & High-density Rockwool Insulation with Aluminum Cladding

PAINT SYSTEM

Premium paint on all fuel tanks, so your investment will have longevity.

Three-layer premium paint system

- ▶ Basecoat: Activated Zinc Epoxy Primer
- ▶ Mid-coat: High-Build Epoxy Intermediate Coat
- ▶ Topcoat: Polyurethane with Zinc Phosphate
- ▶ OpHo/Special Heat proof Paint up to 500°C

BOILER AUXILIARY EQUIPMENT

- ▶ Corrosion Protection & Finishing Standards
- ▶ Surface preparation with abrasive blasting
- ▶ Three-layer premium paint, so your investment will have longevity.
- ▶ Basecoat: Activated Zinc Epoxy Primer
- ▶ Mid-coat: High-Build Epoxy Intermediate Coat
- ▶ Topcoat: Polyurethane with Zinc Phosphate
- ▶ A Optional Temperature resistance and corrosive primer paint.
- ▶ For stainless steel products Surface polishing as per Desired Ra Value.

